



Client Latitude 40 Aminos

Analyzed 08/10/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	5-Amino-1MQ	Form	Lyophilized
Batch	SGX-L4A-2026-0727-T18	Labeled Qty	50MG
Mol. Formula	C10H12N2	CAS Number	42464-96-0
Cap Color	Clear	Crimp Color	Copper
Appearance	Orange Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	5-Amino-1MQ	5-Amino-1MQ	✓
Batch Avg Purity (HPLC)	(>98%)	99.58	✓
Net Peptide Content	50MG ± 10%	51.27	✓

HEAVY METAL SCREENING

No data.


BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · 5-AMINO-1MQ 50MG

DETECTOR: UV 214 NM · 08/10/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-675135
Access Code: SGX-L4A-2026-0727-T18

